



# Openings in Steel

## Amarr Residential Garage Doors





**OpeningsinSteel.** Express your style in steel. Amarr garage doors make it happen. Exceptional performance, low maintenance and durability, available in eight steel collections.

From classic carriage house designs to contemporary flush panels, get a striking look that stands the test of time.

- 1 COLORS
- 2 NORTHWOODS
- 4 CLASSICA® FLUSH
- 6 CLASSICA FULL VIEW
- 8 CLASSICA
- 10 CLASSICA & DECORATIVE HARDWARE OPTIONS
- 12 CARRIAGE COURT
- 14 CARRIAGE COURT OPTIONS
- 16 DESIGNER'S CHOICE
- 18 HILLCREST
- 20 HERITAGE®
- 22 OLYMPUS
- 24 LINCOLN
- 26 WINDOW & GLASS OPTIONS
- 27 COLOR ZONE & MOSAIC WINDOW OPTIONS
- 28 CONSTRUCTION OPTIONS
- 29 SPECIFICATIONS

# AMARR COLORS

The garage door is the largest and most visible door on your home so choosing the right color is an important decision. Explore the many color options Amarr offers.

## PLANK

NEW



DUNE (DUN)



CEDAR (CEP)

NEW




COFFEE (COF)



ASPEN GRAY (AGP)

NEW



ONYX (ONY)

## DUAL-DIRECTIONAL WOODGRAIN



WALNUT (NT)



MAHOGANY (MY)




GOLDEN OAK (OK)


Recessed design in Walnut with Arched Thames window inserts



## SOLID



TRUE WHITE (TW)



ALMOND (AL)



WICKER TAN (WK)




SANDTONE (ST)



TERRATONE (TT)



DARK BROWN (DN)



CHARCOAL GRAY (EF)



BLACK (BL)

## COLOR ZONE



Amarr Color Zone

Over 800 Sherwin-Williams SnapDry™ paint colors – approved list is at [amarr.com/amarr\\_color\\_zone](http://amarr.com/amarr_color_zone). Check your local Sherwin-Williams store for paint chips.

See page 27 for more information



Actual colors may vary from samples shown. See specifications chart on page 29 for color availability by model. Amarr doors are pre-painted; homeowners can use exterior latex paint for custom colors. Visit [amarr.com](http://amarr.com) for painting instructions. Non-factory painting of garage door voids the paint finish warranty. Price up charge applies to all colors except True White.



## AMARR NORTHWOODS

The printed horizontal plank design on a ribbed section creates depth, texture and dimension.

A perfect complement to modern, mid-century modern, and traditional architectural styles.

The multi-hued, digitally printed wood grain pattern gives a more genuine wood appearance. Available with either traditional or mosaic window placement.



Designs

The Amarr Northwoods collection is a traditional door offered in Ribbed panel design in two digitally printed plank color options.

See page 29 for complete specifications.

NW3138

Triple-Layer:  
1-3/8" Steel +Insulation  
+Steel

NW3138  
U-factor  
.27  
R-value6.48

NW3000

Triple-Layer:  
2" Steel +Insulation+  
Steel: 24ga

NW3000  
U-factor  
.26  
R-value9.05

DunewithSlimLineWindows



OnyxwithLongPanelWindows



CedarwithLongPanelMosaicWindowOption



AspenGraywithSlimLineWindows



CoffeewithShortPanelWindows



WINDOW S

Choose from standard Short Panel or Long Panel windows with color coordinated frames or the new SlimLine windows with Black frame. See page 26 for glass options.

SHORT OR LONG PANEL WINDOW FRAMES



CEDAR



DUNE AND COFFEE



ASPEN GRAY



ONYX

SLIMLINE (All door colors)



Black frame only. Available in Clear, Frost, and Dark Tint single-pane or insulated glass.

COLORS

Pattern may vary from sample shown.

NEW



DUNE (DUN)  
Available Fall 2025



CEDAR (CEP)

NEW



COFFEE (COF)  
Available Fall 2025



ASPEN GRAY (AGP)

NEW



ONYX (ONY)  
Available Fall 2025



## CLAS S I C A<sup>®</sup> F L U S H

Sleek and sophisticated. Amarr Classica Flush garage doors complement any modern architectural style home.

The flush design is ideal for homeowners who want a contemporary look with the taller panels of a 3-section door. Polyurethane insulation is energy efficient and helps moderate garage temperatures year round.



Designs

Unique three-section tall door with large windows allow maximum natural lighting.

See page 29 for complete specifications.

CL3000

Triple-Layer:  
Steel + Insulation + Steel


CL3000  
U-factor  
.22  
R-value 13.35

Decorative Windows

Choose single-pane or insulated tempered glass options to best suit your needs.

See page 10 for window and glass options.

Charcoal Gray with Jardin Windows



Dark Brown with Clear Glass



Sandtone with Thames Windows



True White with Closed Top



Wicker Tan with Frost Glass



COLORS

Actual paint colors may vary from samples shown. Price up charge applies to all colors except True White.



TRUE WHITE (TW)



ALMOND (AL)



WICKER TAN (WK)



SANDTONE (ST)



TERRATONE (TT)



CHARCOAL GRAY (EF)



DARK BROWN (DN)



BLACK (BL)



See page 27 for more information.



## CL ASSIC A® FULL VIE W

Bring natural lighting indoors. The three-section tall Amarr Classica Full View garage door allows maximum natural lighting to your interior space with the largest windows available in any Amarr steel garage door. The modern design combined with polyurethane insulation provides years of energy efficient performance. Improve your view of the world with an Amarr Classica Full View door.



Designs

Unique three-section tall door with large windows allow maximum natural lighting.

See page 29 for complete specifications.

CL3000

Triple-Layer: Steel +Insulation+Steel

Decorative Windows


Choose single-pane or insulated tempered glass options to best suit your needs.

See page 10 for window and glass options.

BlackwithDarkTintGlass



CharcoalGraywithFrostGlass




SandtonewithClearGlass



DarkBrownwithFrostGlass



WalnutwithObscureGlass



COLORS

Actual paint colors may vary from samples shown. Price up charge applies to all color except TrueWhite.



TRUEWHITE (TW)



ALMOND (AL)



WICKER TAN (WK)



SANDTONE (ST)



TERRATONE (TT)



CHARCOAL GRAY (EF)



DARK BROWN (DN)



BLACK (BL)



GOLDEN OAK (OK)



WALNUT (NT)



MAHOGANY (MY)



See page 27 for more information.

Not available in odd heights.



## CL ASSIC A®

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. The AmarrClassica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.



**Designs**

Unique three-section tall carriage house style doors available in seven stamped-steel panel designs.

See page 29 for complete specifications.

**CL1000**

Single-Layer: Steel

**CL2000**

Double-Layer:  
Steel + Insulation

CL2000  
U-factor  
**.32**  
R-value 6.64

**CL3000**

Triple-Layer:  
Steel + Insulation +  
Steel

CL3000  
U-factor  
**.22**  
R-value 13.35

**Decorative Windows & Hardware**

Optional decorative windows & hardware, reminiscent of authentic hardware found on original carriage houses, adds character to your door.

See pp. 10-11 for glass, window, and hardware options.


NorthamptonwithThamesWindows(N10)



BordeauxwithClosedSquare(B2)



SantiagowithSeineWindows(S8)



TuscanywithClosedArch(T1)




LucernwithRhineWindows(L7)




**DESIGNS**


Lucern(L)




Tuscany(T)




Santiago(S)




Valencia(V)



Northampton(N)




Bordeaux(B)



Not available in odd heights.

Cortona(C)



Not available with Arched top.

**COLORS**

Actual paint colors may vary from samples shown. Price up charge applies to all colors except TrueWhite.



TRUEWHITE (TW)



ALMOND (AL)



WICKER TAN (WK)



SANDTONE (ST)



TERRATONE (TT)



CHARCOAL GRAY (EF)



DARK BROWN (DN)



BLACK (BL)



GOLDEN OAK (OK)\*



WALNUT (NT)



MAHOGANY (MY)



See page 27 for more information.

\*Odd heights not available in CL1000/CL2000.

# CLASSIC® & DECORATIVE HARDWARE OPTIONS

## TWO-TONE PAINT OPTIONS\*

PANEL	BASEDOOR							
	TRUEWHITE	ALMOND	WICKERTAN	SANDTONE	TERRATONE	CHARCOALGRAY	DARKBROWN	BLACK
TRUEWHITE								
ALMOND								
WICKERTAN								
SANDTONE								
TERRATONE								
CHARCOALGRAY								
DARKBROWN								
BLACK								
HUNTERGREEN								
GRAY								


\*Priceupchargeapplies.

Cortona design in Sandtone/Terratone




## TOP SECTIONS

CLOSEDARCH•AvailableforTUSCANY(T1), SANTIAGO(S1),LUCERN(L1),VALENCIA(V1)



CLOSEDSQUARE•AvailableforTUSCANY(T2), SANTIAGO(S2),LUCERN(L2),VALENCIA(V2)



CLOSEDDOUBLEARCH•AvailableforTUSCANY(T1D),SANTIAGO(S1D),LUCERN(L1D),VALENCIA(V1D)



CLOSEDARCH•NORTHAMPTON(N1)




CLOSEDSQUARE•NORTHAMPTON(N2)



CLOSEDARCH•BORDEAUX(B1)




CLOSEDSQUARE•BORDEAUX(B2)




CLOSEDSQUARE•CORTONA(C2)



JARDIN(75)\*



TRELLIS(76)\*



\*Temperedobs cureglasswithbaked-onceramicdesign. Designvisibilityvariesduetolighting.

Visit [amarr.com](http://amarr.com) and access the Amarr Door Designer to view specific designs in various architectural styles.


TuscanydesigninTrueWhite/Almond




SantiagodesigninDarkBrown/Terratone




NOINSERT



DANUBE(4)†



MADEIRA(5)†




NILE(6)†



RHINE(7) †



SEINE(8)†



THAMES(10) †



†WindowinsertsshownonClearglass. DesignalsoavailablewithObscure,FrosterDarkTintglass.

## GLASS OPTIONS

Insulatedglass\*availableinClear,FrostandDarkTint.

CLEAR(C)



OBSCURE(O)\*



FROST(WF)\*



DARKTINT(WD)\*



\*Priceupchargeapplies.

## DECORATIVE HARDWARE & LOCK

### ALUMINUM

AvailableforAmarrCarriageCourt,Classica,Designer'sChoice,Heritage<sup>1</sup>andHillcrestcollections.

9"HANDLES



18"STRAP HINGES WITH CLAVOS\*



11"L-HINGE WITH CLAVOS\*



VERSAILLES

10-1/2"HANDLES†



17"STRAP HINGES WITH CLAVOS\*



3-1/2"RINGHANDLES



CANTERBURY

\*HingeswithClavosnotrecommendedforarchedopenings. †Notforusewithhighliftinstallations.

### STAMPED STEEL

AvailableforAmarrCarriageCourt,Classica,Designer'sChoice,Heritage<sup>1</sup>andHillcrestcollections.

11"HANDLES



16"STRAPHINGES



11"HANDLES



BLUE RIDGE

AMARR LOCK  
AvailableforAmarrHeritage<sup>‡</sup>,  
Lincoln,andOlympuscollections.

ALPINE

### MAGNETIC ABS VINYL

AvailableforAmarr,Classica,Designer'sChoice,Heritage<sup>1</sup>andHillcrestcollections.

12"HANDLES



16"STRAPHINGES



11"HANDLES



18"STRAPHINGES



CASTLE ROCK

MAPLE CREEK

4"RINGHANDLES  
(withremovablebackerplate)



18"STRAPHINGES



1-3/4"CLAVOS



10"tall



NOTTINGHAM

CLAVOS

<sup>1</sup>Carriagehousedesignsonly. <sup>‡</sup>Traditionaldesignsonly.



## CAR RI AGE COUR T

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.



**Designs**

A wide variety of unique carriage house designs available in four color options.

See page 29 for complete specifications.

**CC4000**





Four-Layer:  
Overlay + Steel +  
Insulation + Steel

CC4000  
U-factor  
**.26**  
R-value 6.48

**Decorative Windows & Hardware**


Choose from a variety of optional decorative windows & hardware to match your home's design.

See page 11 for window and hardware options.




**DESIGNS**

**AVAILABLE WITH WINDOWS**



**NOT AVAILABLE WITH WINDOWS**



\*Closed Square only.

# CARRIAGE COURT OPTIONS

## TOP SECTIONS

Available with Clear, Obscure or Insulated glass.

Available for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT and SEABROOK with CLEAR, OBSCURE\* or INSULATED\* glass.

\*Price upcharge applies.

CLOSED SQUARE (104)




CLOSED ARCH (105)



CLEAR SQUARE (115)



CLEAR ARCH (114)



3 LITE SQUARE (106)




3 LITE ARCH (110)



4 LITE SQUARE (107)



4 LITE ARCH (111)




6 LITE SQUARE (112)




6 LITE ARCH (108)



8 LITE SQUARE (113)



8 LITE ARCH (109)



Available for ARCADIA†, ASHLEY, BROOKLAND†, DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA†, MIDDLETON, NEWBERRY, RAVENWOOD† and TANGLEWOOD

†Closed Square only.


CLOSED SQUARE (104)



CLOSED ARCH (105)



## CONSTRUCTION



### CC4000

Four-Layer:  
Overlay +Steel +Insulation +Steel

- 2" thick door with polystyrene insulation and steel interior
- Built with 1-3/8" steel section and 5/8" composite overlay trim

## OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Square edge design
- Sustainable, green building material
- Resists rot, decay, and fungal growth
- Won't flake, blister, peel, pit or corrode

## WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with square edges
- Available in Clear, Clear Insulated<sup>†</sup> or Obscure<sup>‡</sup> glass.

<sup>‡</sup>Price up charge applies.

## COLORS

Actual paint colors may vary from sample shown.



TRUE WHITE / WHITE (W1)



ALMOND / WHITE (A1)



SANTONE / WHITE (S1)



WICKER TAN / WHITE (K1)

Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings.

## DOOR WIDTHS

Only available in widths shown; not available in odd widths

6' WIDE\*



12', 14' & 15' WIDE



8', 9' & 10' WIDE



15' 6", 15' 8", 16' & 18' WIDE




\*Available in Ashley, Charlton, Greenbriar and Laurel Bay (now window options).

## DOOR HEIGHTS

Available in 6' 6" - 10' heights in 3" increments<sup>†</sup>

7' and 8' TALL



9' TALL



10' TALL



<sup>†</sup>Rosemont not available in 8' 3", 8' 9", 9' 3" and 9' 9";  
Tanglewood not available in 6' 3" and 7' 3" door heights.

## WARRANTY

- Lifetime limited warranty on finish
- 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- 5-year limited warranty on overlay delamination

Newberry design with Closed Square in Sandtone / Whitewith Canterbury decorative handles





## DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models. With triple-layer construction and superior insulation R-value of 19.40\*, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



**Designs**

The Amarr Designer's Choice model is available in three carriage house designs and eight color options.

See page 29 for complete specifications.

**DC3138\***  
1-3/8" Triple-Layer:  
Steel + Insulation + Steel

\*DC3138 only available in Bead Board design in 8', 9' and 16' wide doors.

DC3138  
U-factor  
**.24**  
R-value 14.46

**DC3200**  
2" Triple-Layer:  
Steel + Insulation + Steel

† True White Bead Board only. U-factor 0.23; R-value 13.35 for all other panel designs and colors.

DC3200†  
U-factor  
**.19**  
R-value 19.40

**Decorative Windows & Hardware**


Choose from DecraTrim inserts or DecraGlass+ windows to best coordinate with your home.

See page 26 for window and glass options. For decorative hardware, see page 11.

‡ Available for DC3200 only.




Recessed Closed (RE)




**DESIGNS**


Bead Board (BB)\*



Long Bead Board (LPBB)



Recessed (RE)



\*DC3138 only available in Bead Board design in 8', 9' and 16' wide doors.

**COLORS**

Actual paint colors may vary from samples shown. Price up charge applies to all colors except True White.











TRUE WHITE (TW)    ALMOND (AL)    WICKER TAN (WK)    SANDTONE (ST)    DARK BROWN (DN)    BLACK (BL)    WALNUT (NT)    MAHOGANY (MY)    See page 27 for more information.

DC3138 only available in True White and Color Zone.



## HILL CREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles.

You get exceptional style and durability with conventional hardware at a competitive price.

The Amarr Hillcrest. Value is a beautiful thing.



**Designs**

The Amarr Hillcrest collection is available in three carriage house designs with a wide range of color options.

See page 29 for complete specifications.

**HI1000**

Single-Layer: Steel

**HI2000**

Double-Layer: Steel + Insulation

HI2000  
U-factor .32  
R-value 6.64

**HI3138**

1-3/8" Triple-Layer: Steel + Insulation + Steel

HI3138  
U-factor .27  
R-value 6.48

**HI3000**

2" Triple-Layer: Steel + Insulation + Steel


HI3000  
U-factor .23  
R-value 9.05

**Decorative Windows & Hardware**

Choose DecraTrim window inserts or DecraGlass windows to coordinate with your home's design along with optional decorative hardware.

See page 26 for window and glass options. For decorative hardware, see page 11.

LongBeadBoardwithClosedSquare(LPBB)



BeadBoardwithWaterfordDecraTrim(BB25)



RecessedwithStocktonDecraTrim(RE20)



BeadBoardwithCascadeDecraTrim(BB23)




RecessedwithFrostGlass(REWF)




**DESIGNS**


Bead Board (BB)



LongBead Board (LPBB)



Recessed (RE)



**COLORS**

Actual paint colors may vary from samples shown. Price up charge applies to all colors except True White.

TRUEWHITE (TW)    ALMOND (AL)    WICKER TAN (WK)    SANDTONE (ST)    TERRATONE (TT)    DARK BROWN (DN)    CHARCOAL GRAY (EF)    BLACK (BL)    WALNUT (NT)    MAHOGANY (MY)    See page 27 for more information.



## HERITAGE®

Style and beauty that stand the test of time. Choose from traditional or carriage house designs to create the steel garage door you always wanted.

The Amarr Heritage collection provides a low-maintenance, 2" thick steel door with a lifetime warranty. Great looks for years to come.



**Designs**

The AmarrHeritage collection is available in a variety of traditional and carriage house panel designs and colors.

See page 29 for complete specifications.

**HR1000**

Single-Layer:Steel

**HR2000**

Double-Layer:  
Steel +Insulation

HR2000  
U-factor  
**.43**  
R-value6.64

**HR3000**

Triple-Layer:  
Steel +Insulation+Steel

HR3000  
U-factor  
**.26**  
R-value9.05

**Decorative Windows & Hardware**

Choose fromDecraGlass, DecraTrimwindow inserts orSlimLine windows to coordinatewith your home.SlimLine windows available forHR3000 Flush and Ribbed panel designs.

See page 26for window and glass options.For decorative lock and hardware options, see page 11.



FlushPanel(FP)\*withSlimLineClearInsulatedWindows



LongPanelwithMoonliteDecraTrim(LP24)



ShortPanelwithShortPanelObscureWindows(SP71)



RecessedwithThamesDecraTrim(RE30)




BeadBoardwithMissionDecraGlass(BB71)


**DESIGNS**

**CARRIAGE HOUSE**


Bead Board (BB)



LongBeadBoard (LPBB)




Recessed (RE)




**TRADITIONAL**


ShortPanel (SP)




LongPanel (LP)



FlushPanel (FP)\*



RibbedPanel (RP)\*



\*AvailableinHR3000only.

**COLORS**



TRUEWHITE (TW)

ALMOND (AL)

WICKER TAN (WK)\*

SANDTONE (ST)

TERRATONE (TT)\*

DARK BROWN (DN)

CHARCOAL GRAY(EF)\*

BLACK (BL)

Actualpaintcolorsmayvaryfromsampleshown. PriceupchargeappliedtoallcolorsexceptTrueWhite.



WALNUT (NT)

MAHOGANY (MY)




See page27for moreinformation.

\*AvailableSummer2024. Woodgrainfinishesaredualdirectionalforallpanel designs.

**MOSAIC WINDOW OPTIONS**

With Mosaic Window Options for traditional designs, you decide the number and location of windows to create the door design you want. Visit [amarr.com/mosaic](http://amarr.com/mosaic) for design inspirations.





## OLYMP US

When it comes to ultimate protection, the Amarr Olympus stands tall.

With triple-layer construction and superior insulation R-value of 19.40\*, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



**Designs**

The Amarr Olympus model is available in Short, Long, and Flush panel designs and your choice of eight color options. See page 29 for complete specifications.

**OL3138\***

1-3/8" Triple-Layer: Steel + Insulation + Steel

\*OL3138 only available in Short and Flush panel designs in 8', 9' and 16' wide doors.

OL3138  
U-factor .24  
R-value 14.46

**Decorative Windows**

Choose from DecraTrim inserts or DecraGlass<sup>†</sup> windows to best coordinate with your home.

See page 26 for window and glass options.

†Available for OL3200 only.

**OL3200†**

2" Triple-Layer: Steel + Insulation + Steel

†TrueWhite Short and Flush Panel only. U-factor 0.23; R-value 13.35 for all other panel design and colors.

OL3200†  
U-factor .19  
R-value 19.40

Short Panel with Prairie Decra Trim (SP21)



Long Recessed with Stockton Decra Trim (LR20)




Long Panel with full Long Panel Windows (LP)



Short Panel with Heartland Decra Glass (SP70)




Flush Panel with Mosaic Clear Windows (FPO)




**DESIGNS**


Short Panel (SP)\*




Long Panel (LP)



Flush Panel (FP)\*



Long Recessed (LR) †




\*OL3138 only available in Short and Flush Panel designs in 8', 9' and 16' wide doors.

Flush Panel available in TrueWhite and Color Zone only.

†Available in OL3200 only.

**MOSAIC WINDOW OPTIONS**

With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit [amarr.com/mosaic](http://amarr.com/mosaic) for design inspirations.



**COLORS**

Actual paint colors may vary from samples shown. Price up charge applies to all colors except TrueWhite.

TRUEWHITE (TW)    ALMOND (AL)    WICKER TAN (WK)    SANDTONE (ST)    DARK BROWN (DN)    BLACK (BL)    WALNUT (NT)    MAHOGANY (MY)    Amarr Color Zone    See page 27 for more information.

OL3138 only available in TrueWhite and Color Zone.



## LINCOLN

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware.

Along with a variety of decorative window choices, this affordable collection delivers premium style at a competitive price. The Amarr Lincoln. A new tradition of style and value.



**Designs**

The Amarr Lincoln collection is a traditional door offered in Short, Long, Flush, or Ribbed panel designs and a wide range of color options.

See page 29 for complete specifications.

**LI1000**

Single-Layer:Steel

**LI2000**

Double-Layer:  
Steel +Insulation

LI200  
U-factor  
**.32**  
R-value6.64

**LI3138**

1-3/8"Triple-Layer:  
Steel +Insulation+Steel

LI3138  
U-factor  
**.27**  
R-value6.48

**LI3000**

2" Triple-Layer:  
Steel +Insulation+Steel

LI3000  
U-factor  
**.23**  
R-value9.05

**Decorative Windows**

Choose fromDecraTrimwindow inserts, DecraGlass, orSlimLine windows to coordinate with yourhome'sdesign. SlimLine windows only available for LI3138/LI3000Flush and Ribbed panel designs.

See page 26for window and glass options.

ShortPanelwithVictorianDecraGlass(SP54)



FlushPanel(FP)withSlimLineClearInsulatedWindows



LongPanelwithCascadeDecraTrim(LP23)




RibbedPanel(RP)withLongPanelClearWindows



ShortPanelwithPrairieDecraTrim(SP21)




**DESIGNS**



RibbedPanel availableinLI3138 andLI3000only.

**MOSAIC WINDOW OPTIONS**

With Mosaic Window Options you decide the numberand location of windows to create the door design youwant. Visit [amarr.com/mosaic](http://amarr.com/mosaic) for design inspirations.



**COLORS**

Actualpaintcolorsmayvaryfromsampleshown. PriceupchargeappliestoalcolorsexceptTrueWhite.



\* AvailableinLI1000/LI2000FlushPanelwithStuccotexture. †AvailableinLI1000/LI2000FlushPanelwithStuccotexture-Fall2025.

Seepage27for moreinformation.

# WINDOW & GLASS OPTIONS

Visit [amarr.com](http://amarr.com) and access the Amarr Door Designer to view specific designs in various architectural styles.

## DECRA TRIM WINDOW INSERTS Available with all glass options.

**SHORTPANEL**  
Available for Amarr Heritage, Lincoln, and Olympus collections.

**LONGPANEL**  
Available for Amarr Designer's Choice, Heritage, Hillcrest, Lincoln, and Olympus collections.

**NOINSERT**



**STOCKTON(20)**



**PRAIRIE(21)**



**CATHEDRAL(22)**



**CASCADE(23)**



**WATERFORD(25)**



**WAGONWHEEL(26)**



**SUNRAY(27)**



**FULLSUNRAY(28) Short Panel**



Available for 16", 17", and 18" width only.

**FULLSUNRAY(28) Long Panel**



Available for 15", 15", 16", 17", and 18" width only.

**FIVEPIECESUNRAY(29) for 10" Short Panel Door**



Available only in True White.

**THAMES(30) Long Panel**



**ARCHEDTHAMES(31) Long Panel**



**MOONLITE(24) Long Panel**



Flush Panel design in Black with Obscure Glass Mosaic Window Option



## GLASS OPTIONS

Insulated glass\* available in Clear, Frost and Dark Tint.

**CLEAR(C)**



**OBSCURE(O)\***



**FROST(WF)\***



**DARKTINT(WD)\***



\*Price up charge applies.



## DECRA GLASS™ WINDOWS

Tempered obscure glass with baked-on ceramic designs.

**SHORTPANEL**  
Available for Amarr Heritage, Lincoln, and Olympus collections.

**LONGPANEL**  
Available for Amarr Designer's Choice, Heritage, Hillcrest, Lincoln, and Olympus collections.



**HEARTLAND(70)**



**JARDIN(75)**





**MISSION(71)**



**TRELLIS(76)**



**VICTORIAN(54)**



Decra Trim and Decra Glass design visibility varies due to lighting.

## SLIMLINE WINDOW



SlimLine window size is the same width and half the height of a standard Long Panel window.

Available in black or white frames only. Available for Heritage HR3000, Lincoln LI3138/LI3000 Flush and Ribbed Panel designs only, Northwoods NW3138/NW3000 (Black frame only). Available in Clear, Frost and Dark Tint single-pane or insulated glass.

# COLOR ZONE & MOSAIC WINDOW OPTIONS

## COLOR ZONE



**Embrace your inner designer.** Amarr's Color Zone is a factory-applied option available on most steel garage doors. This color option that allows homeowners to color match the exterior features of their homes from shutters and trim to their front door. For the commercial market, Amarr Color Zone creates a unique lasting first impression on our wide selection of industrial doors.

- Available on all\* Amarr residential or commercial steel overhead doors up to 20' wide.
- In a multi-step process, your chosen color is applied as a top coat to Amarr pre-painted, galvanized steel sections giving your door one more layer of protection from the elements.
- Sherwin-Williams® SnapDry™ paint is resistant to dirt, fingerprints, and UV weathering.
- Choose from more than 800 approved Sherwin-Williams SnapDry paint colors. Approved list is at [amarr.com/amarr\\_color\\_zone](http://amarr.com/amarr_color_zone).
- Your local Sherwin-Williams store can provide you with paint chips of selected colors to help you decide.




\*Not available on Amarr Carriage Court, EOS, Northwoods, or Amarr 2448

## MOSAIC WINDOW OPTIONS

**Release your creativity with Mosaic Window options.** Give your contemporary, mid-century modern or transitional home a fresh look that is uniquely you. Create a unique look by choosing how many windows you want and where to place them! Just like your home, your garage door should reflect your personal style. Three easy decisions give you the garage door of your dreams.

- Choose your door - available with traditional collections; Heritage®, Lincoln, Northwoods, and Olympus.
- Choose your design - available with all panel designs; Short, Long, Flush\* and Ribbed† panels.
- Create your design with SlimLine, short or long panel windows in clear, frost, obscure or dark tint glass.

Flush Panel design in Wicker Tan with Obscure glass



\*Available in Heritage HR3000, Lincoln LI1000/LI2000/LI3138/LI3000 and Olympus OL3200 only.  
†Available in Heritage HR3000, Lincoln LI3138 and Northwoods only.

# AMARR CONSTRUCTION

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from single, double, triple or four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

## SINGLE-LAYER: Steel

AmarrClassica, Heritage, Hillcrest, & Lincoln

- Heavy-duty exterior steel
- Durable, reliable, low maintenance



## DOUBLE-LAYER: Steel + Insulation

AmarrClassica, Heritage, Hillcrest, & Lincoln

- Heavy-duty exterior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation with vinyl backing
- Energy efficient
- Quiet operation



## TRIPLE-LAYER: Steel + Insulation + Steel

Amarr Classica, Designer's Choice, Heritage, Hillcrest, Lincoln, & Olympus

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene or polyurethane thermal insulation
- Superior energy efficiency
- Extra quiet operation




\* TrueWhiteBeadBoard only.  
 \*\* All panels and colors except TrueWhiteBeadBoard.  
 † ShortPanel TrueWhite and FlushPanel TrueWhite only.  
 ‡ R-value rating for other colors and panels 13.35 except ShortPanel TrueWhite and FlushPanel TrueWhite and Black; U-factor rating currently unavailable for all other colors and panels.

## FOUR-LAYER: Overlay + Steel + Insulation + Steel

Amarr Carriage Court

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation
- Energy efficient
- Extra quiet operation



Amarr Classica Tuscan design with Rhine windows in TrueWhite

## VERIFIED THERMAL PERFORMANCE

Amarr participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of a complete sectional door assembly.

### What is U-factor?

U-factor is a measurement of heat transfer or flow through a material, in our case, a sectional door. **Lower U-factor rating indicates less heat transfer and better thermal performance.**

### Why U-factor?

The U-factor values are determined by the testing of a complete door assembly, including insulation, thermal breaks, and window variables and are more accurate than calculated ratings for only a portion of an insulated section.

 This symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating.



# SPECIFICATIONS

PANEL DESIGNS	NORTHWOODS NW138	NORTHWOODS NW3000	CLASSICA FLUSH CL3000	CLASSICA FULLVIEW CL3000	CLASSICA CL1000	CLASSICA CL2000	CLASSICA CL3000	CARRIAGE COURT CC4000	DESIGNER'S CHOICE DC318	DESIGNER'S CHOICE DC3200	HILLCREST HI1000	HILLCREST HI2000	HILLCREST HI318	HILLCREST HI3000	HERITAGE HR1000	HERITAGE HR2000	HERITAGE HR3000	OLYMPUS OL318	OLYMPUS OL3200	LYNCO LN1000	LYNCO LN2000	LYNCO LN318	LYNCO LN3000	
Short																								
Long																								
Flush																								
Ribbed																								
Carriagehouse																								
<b>CONSTRUCTION LAYERS</b>	3	3	3	3	1	2	3	4	3	3	3	2	3	3	1	2	3	3	3	1	2	3	3	3
Steel																								
Steel+Insulation																								
Steel+Insulation+Steel																								
Overlay+Steel+Insulation+Steel																								
<b>DOOR THICKNESS</b>	1-3/8(3.5cm)	2 1/8(1cm)	1-3/8(3.5cm)	2 1/8(1cm)	2 1/8(1cm)	2 1/8(1cm)	1-3/8(3.5cm)	2 1/8(1cm)	2 1/8(1cm)	2 1/8(1cm)	2 1/8(1cm)	1-3/8(3.5cm)	2 1/8(1cm)	2 1/8(1cm)	2 1/8(1cm)	1-3/8(3.5cm)	2 1/8(1cm)	2 1/8(1cm)						
<b>INSULATION</b>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>									
<b>U-FACTOR</b>	0.27	0.26	0.22	0.22	0.22	0.22	0.26	0.24	0.24	0.19/0.23 <sup>**</sup>	0.23	0.32	0.27	0.23	0.23	0.43	0.26	0.24	0.19/0.23 <sup>†</sup>	0.32	0.32	0.27	0.27	0.23
<b>R-VALUE</b>	6.48	9.05	13.35	13.35	13.35 <sup>†</sup>	13.35	6.48	14.46	14.46	19.07/13.35 <sup>**</sup>	9.05	6.64	6.48	9.05	9.05	6.64	9.05	14.46	19.07/13.35 <sup>†</sup>	6.64	6.64	6.48	6.48	9.05
<b>STEEL THICKNESS</b>																								
Gauge (g/ga)	27/27 ga	24/27 ga	25/27 ga	25/27 ga	24 ga	24 ga	27/27 ga	27/27 ga	27/27 ga	27/27 ga	27/27 ga	27/27 ga	27/27 ga	27/27 ga	24 ga	24 ga	24/27 ga	27/27 ga	27/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	27/27 ga
Gauge (mm)	0.61(0.42mm)	0.61(0.42mm)	0.53(0.42mm)	0.53(0.42mm)	0.61mm	0.61mm	0.42(0.42mm)	0.42(0.42mm)	0.42(0.42mm)	0.42(0.42mm)	0.42(0.42mm)	0.53mm	0.42(0.42mm)	0.42(0.42mm)	0.61mm	0.61mm	0.61(0.42mm)	0.42(0.42mm)	0.42(0.42mm)	0.53mm	0.53mm	0.42(0.42mm)	0.42(0.42mm)	0.42(0.42mm)
<b>WOOD GRAIN EXTERIOR TEXTURE</b>	Painted	Painted	Painted	Painted	Calvanized	Calvanized	Painted	Painted	Painted	Painted	Painted	Calvanized	Painted	Calvanized	Calvanized	Painted	Painted	Painted						
<b>END STILES</b>	Painted	Painted	Painted	Painted	Calvanized	Calvanized	Painted	Painted	Painted	Painted	Painted	Calvanized	Painted	Calvanized	Calvanized	Painted	Painted	Painted						
<b>THERMAL SEAL</b>																								
<b>BOTTOM WEATHER SEAL</b>																								
PVC Retainer																								
T-Slot Vinyl Seal																								
<b>GLASS OPTIONS</b>																								
Clear 3/32" (0.24cm) Single Strength																								
Clear 1/8" (0.32cm) Tempered 2X Strength																								
Obscure																								
Frost																								
Dark Tint																								
Insulated (Clear, Frost & Dark Tint)																								
<b>DECORATIVE HARDWARE OPTIONS</b>																								
<b>EXTERIOR COLOR OPTIONS</b>																								
True White (TW)																								
Almond (AL)																								
Wicker Tan (WK)																								
Sandstone (ST)																								
Terratone (TT)																								
Dark Brown (DN)																								
Charcoal Gray (CF)																								
Black (BL)																								
Golden Oak (OK)																								
Walnut (NT)																								
Mahogany (MY)																								
Dune (DUN)																								
Cedar (CEP)																								
Coffee (COF)																								
Aspen Gray (ACP)																								
Onyx (ONY)																								
<b>WINDOW* AVAILABLE</b>																								
<b>PAINT FINISH WARRANTY*</b>	12 years	12 years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime							
<b>WORKMANSHIP/HARDWARE WARRANTY*</b>	3 years	3 years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime							

<sup>1</sup> Insulation on Amar for interior doors has a thermal performance of R-1.0 and smoke test rating of 10 for fire testing.  
<sup>2</sup> Calculated door section R-value is in accordance with ASTM E2163.  
<sup>3</sup> With White Overlay.  
<sup>4</sup> It is your responsibility to make sure your garage door meets local building codes.  
<sup>5</sup> For complete warranty details visit [amar.com](http://amar.com) or contact your local Amar dealer.  
<sup>6</sup> Flush Panel design has a structural urethane.  
<sup>7</sup> Available for Carriage House design only.  
<sup>8</sup> Solid door with no glass; R-Value varies by style type.  
 NOTE: Optional door locks and various finish options are available through your local garage door dealer.



AmarrClassicaNorthamptondesigninTrueWhitewithThameswindowinserts



**OurPhilosophy.** Since 1951,we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today,with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit [amarr.com](http://amarr.com)for additional products, such as Amarr by Design customwood carriage house doors, specialty doors, garage flooring, accessories, and a full line of Amarr commercial sectional, rolling slat, and rolling steel doors.

YourLocal Amarr Dealer:



TOLL-FREE 866-817-3534  
[www.californiagaragedoors.net](http://www.californiagaragedoors.net)

**Amarr Company**  
165Carriage Court  
Winston-Salem, NC 27105  
800.503.DOOR  
[www.amarr.com](http://www.amarr.com)



Amarr,ClassicaandHeritageaswordsandlogosaretrademarksbelonging toAmarrCompany,ownedbyASSAABLOY.

Doorspecificationsandtechnicaldatasubjecttochangewithoutnotice.

SectionaldoorproductsfromAmarrCompanymaybe subjectof oneormoreU.S.and/orforeign,issuedand/orpending,design and/orutilitypatents.

©ASSA ABLOY  
Printed in USA Form #6450725/25M/SPR